

## CAT QAIHC Indicator Quick Reference Guide 2.12

<b>Introduction</b>	<p>The Queensland Aboriginal and Islander Health Council (QAIHC) have developed a set of core indicators, funded through the Health Information Project, designed to support quality improvement initiatives. A subset of these indicators is provided in the CAT QAIHC Indicators report.</p> <p>The CAT HFL Indicators module is available for clinical systems where the CAT data extract meets the CAT data specifications version 1_6 or higher.</p> <p>MBS Item Indicators in the report (indicators 10, 12, 14 and 20) are available where the clinical and billing systems are provided by the same vendor.</p>
<b>About this Guide</b>	<p>This guide provides a description of each indicator in the report. The '<i>CAT User Guide Appendices Data Mappings</i>' provides an explanation of where most of the data items are collected from in each clinical system. This guide provides any additional explanations required and details of any calculations used.</p> <p>Notes:</p> <ol style="list-style-type: none"> <li>1) Indicators report data for Recent Attenders, Active and Recent Attendees, and All Patients <ul style="list-style-type: none"> <li>Recent attenders are patients that have had a visit in the last 6 months.</li> <li>Active attenders are patients that have had 3 visits in the last 2 years.</li> <li>A visit is any patient contact that has been recorded in the progress notes.</li> </ul> </li> <li>2) In this report a child is 0-14 years and an adult <math>\geq 15</math> years.</li> <li>3) To maximise your service's performance, all clinical staff or clinical service providers should have their own log ins for the clinical system and make a record of client or patient visits or consultations in progress notes and other parts of the clinical record as appropriate.</li> </ol>
<b>QAIHC Report</b>	<p>The Report is available under <b>Standard Reports &gt; Indicator Sets</b></p>

<b>Indicator Descriptions</b>	
<b>Patient Demographics</b>	<p>The number of patients seen in the last 6 months</p> <ul style="list-style-type: none"> <li>• Total</li> <li>• Breakdown by adults and children</li> </ul>
<b>1. Service Contacts</b>	<p>The number of service contacts in the last 6 months</p> <ul style="list-style-type: none"> <li>• Total</li> <li>• Breakdown by the provider who has recorded the visit</li> </ul>
<b>6. Smoking</b>	<p>This indicator provides the Adult smoking status breakdown.</p>
<b>7. Alcohol</b>	<p>This indicator provides the Adult alcohol consumption status breakdown.</p> <p>A drinker is <b>at risk</b> if they</p> <ul style="list-style-type: none"> <li>• drink &gt; 2 drinks on a regular occasion</li> <li>• binge drink (MD only which is currently recorded as &gt;= 6 dinks on any occasion)</li> </ul> <p>A drinker is <b>low risk</b> if they drink but do not meet the at risk criteria</p>
<b>8. Obesity and Overweight Prevalence</b>	<p>a) Waist b) BMI</p> <p>This indicator looks at Adult measurements taken in the last 12 months. It provides the breakdown of waist and bmi measurements by gender.</p>

<p><b>9. Physical Activity</b></p>	<p>This indicator looks at Adult physical activity assessment recorded in the last 2 years. A patient meets the physical activity guidelines if they are assessed with a moderate/high level of activity.</p> <p><i>Medical Director:</i>                  In MD a physical activity assessment is done by clicking on the 'running man' icon or choosing 'Assessment &gt; Physical Activity' from the menu. A physical activity assessment is deemed as done if either an assessment or a prescription is recorded.                  Where an assessment has been done, if the score is &gt; 5 the patient meets the physical activity guidelines, otherwise they do not meet the guidelines.</p> <p><i>Best Practice:</i>                  In BP a physical activity prescription is done by selecting the 'Clinical &gt; Physical Activity Prescription' menu option. The prescription must be printed for it to be saved.                  A selected 'current physical activity level' of moderate or active meets the physical activity guidelines, otherwise they do not meet the guidelines</p>
<p><b>10. Adult Health Checks (Pre May 10: MBS 704,706,710; Post May 10: MBS 715)</b></p>	<p>Adult patients who have had an adult health check done in the last 2 years</p> <ul style="list-style-type: none"> <li>• 15-54 years</li> <li>• &gt;= 55 years</li> </ul> <p>Note: MBS Item Indicators in the report are available where the clinical and billing systems are provided by the same vendor.</p>
<p><b>11. Diabetic Client Coverage</b></p>	<p>The number of Adult patients with a diagnosis of Diabetes.                  This is compared with the expected % of 15%.</p>

<b>12. Diabetic Patients on GPMP (MBS 721)</b>	<p>The number of Adult Diabetic Type II patients who have had a GP Management Plan done in the last 12 months.</p> <p>Note: MBS Item Indicators in the report are available where the clinical and billing systems are provided by the same vendor.</p>
<b>13. Diabetes HbA1c Recorded</b>	<p>The number of Adult Diabetic Type II patients who have had an HbA1c recorded in the last 12 months.</p>
<b>14. CHD Patients on GPMP (MBS 721)</b>	<p>The number of Adult CHD patients who have had a GP Management Plan done in the last 12 months.</p> <p>Note: MBS Item Indicators in the report are available where the clinical and billing systems are provided by the same vendor.</p>
<b>15. Hypertension Prevalence and Screening</b>	<ul style="list-style-type: none"> <li>a) BP &lt; 12 mths</li> <li>b) Patients with Hypertension</li> <li>c) Patients with Hypertension and BP &lt; 6mths</li> </ul> <p>The risk of cardiovascular diseases increases as BP increases. These indicators look at the level of BP recording in the Adult patient population and the Adult patient population with Hypertension.</p> <ul style="list-style-type: none"> <li>a) The number of adult patients in the population who have had a BP recorded in the last 12 months</li> <li>b) The number of adult patients with a diagnosis of Hypertension <ul style="list-style-type: none"> <li>This is compared with an expected % of 10%.</li> </ul> </li> <li>c) The of adult patients with a diagnosis of Hypertension who have had a BP recorded in the last 6 months</li> </ul>
<b>16. Hypertension on correct Medication</b>	<p>The number of Adult Hypertension patients currently on an ACE or A2 medication.</p>

<b>17. Antenatal Care Coverage</b>	<p>The Proportion of Indigenous women who gave birth in the last 6 months who attended antenatal care.</p> <p>Refer to the tables at the end of this guide for data item explanations.</p> <p>Count Date of birth &lt;= 6mths Antenatal pane with any visit for this pregnancy is an antennal attendance</p>
<b>18. Timely Antenatal Care</b>	<p>The Proportion of Indigenous women who gave birth in the last 6 months who attended their first antenatal care visit</p> <ul style="list-style-type: none"> <li>• &lt;= 13 wks</li> <li>• 13wks – 20 wks</li> <li>• 20 wks</li> </ul> <p>Refer to the tables at the end of this guide for data item explanations.</p> <p>Count Date of birth &lt;= 6mths Antenatal pane with any visit for this pregnancy is an antennal attendance</p> <p>Antenatal visit date for this pregnancy is compared to the gestation to determine the number of weeks where the first visit falls.</p>
<b>19. Low and High Birth weight Babies</b>	<p>The Proportion of babies born to Indigenous women* whose weight was</p> <ul style="list-style-type: none"> <li>• &lt; 2500 grams</li> <li>• 2500 – 4499 grams</li> <li>• &gt;= 4500 grams</li> </ul> <p>Refer to the tables at the end of this guide for data item explanations.</p> <p>Count Date of birth &lt;= 6mths</p> <p>* includes live births only, excludes births &lt;= 20 weeks gestation</p>


<b>20. Indigenous Child Health Checks (Pre May 10: MBS 708; Post May 10: MBS 715)</b>	<p>Indigenous children who have had a child health check done in the last 2 years</p> <ul style="list-style-type: none"> <li>• &lt;=5 years</li> <li>• &gt;5 and &lt; 15 years</li> </ul> <p>Note: MBS Item Indicators in the report are available where the clinical and billing systems are provided by the same vendor.</p>
<b>21. Under and Overweight Children</b>	<p>a) &lt; 5years b) 5-14 years</p> <p>This indicator looks at childrens measurements taken in the last 12 months.</p> <p>a) Children &lt; 5 yrs – weight and height b) Children &gt;=5, &lt; 15 - bmi</p> <p>The indicator compares the measurements against the 5<sup>th</sup> and 95<sup>th</sup> percentile of the WHO growth charts. These are available at <a href="http://www.who.int/childgrowth/standards/en/index.html">http://www.who.int/childgrowth/standards/en/index.html</a></p>
<b>26. Adequate Antenatal Care</b>	<p>The Proportion of Indigenous women who gave birth in the last 6 months who attended antenatal care</p> <ul style="list-style-type: none"> <li>• &gt;= 4 visits</li> <li>• &lt;= 3 visits</li> <li>• No visit recorded</li> </ul> <p>Refer to the tables at the end of this guide for data item explanations.</p> <p>Count Date of birth &lt;= 6mths</p> <p>Antenatal pane with any visit for this pregnancy is an antennal attendance</p>

<p><b>27. Proportion of Preterm Births</b></p>	<p>The Proportion of Indigenous women who gave birth in the last 6 months* who were &lt;= 36 weeks gestation.</p> <p>Refer to the tables at the end of this guide for data item explanations.</p> <p>Count Date of birth &lt;= 6mths</p> <p>* includes live births only, excludes births &lt;= 20 weeks gestation</p>
<p><b>28. Risk of Renal Disease</b></p>	<p>This indicator provides a breakdown of Adults patients who have had a creatinine or ACR measurement recorded in the last 6 months.</p> <p>a)-c) eGFR Creatinine is used to calculate the eGFR using the revised MDRD formula:</p> $GFR (mL/min/1.73 m^2) = 175 \times (S_{cr})^{-1.154} \times (Age)^{-0.203} \times (0.742 \text{ if female})$ <p>Patients are reported for:</p> <ul style="list-style-type: none"> <li>• eGFR &gt; 90mls/min</li> <li>• eGRR &lt;= 90mls/min, &gt;= 60mls/min</li> <li>• eGR &lt; 60 mls/min</li> </ul> <p>d) ACR ACR (mg/mmol) = microalbumin (mg/L) / urinary creatinine (mmol/L)</p> <p>Refer to the 'CAT User Guide Appendices Data Mappings' for your clinical system for an explanation of how ACR, microalbumin and urinary creatinine are collected.</p> <p>Patients are reported for:</p> <ul style="list-style-type: none"> <li>• ACR &gt; 3.5 g/mol</li> </ul>

<p><b>Further Information</b></p>	<p>Further information is available from QAIHC:                  PHMO, Dr Katie Panaretto on <a href="mailto:KatiePanaretto@gaihc.com.au">KatiePanaretto@gaihc.com.au</a>                  Health Informatics Project Officer, Melvina Mitchell on <a href="mailto:MelvinaMitchell@gaihc.com.au">MelvinaMitchell@gaihc.com.au</a></p>
<p><b>Tables</b></p>	
	<p><b>Table 1: Medical Director Pregnancy, Antenatal and Births</b>  <b>Table 2: Best Practice Pregnancy, Antenatal and Births</b></p>

**Table 1: Medical Director Pregnancy, Antenatal and Births**

In MD, data on pregnancy, antenatal and births is collected from the Obstetric tab. The top pane provides the list of pregnancies. The bottom pane provides the list of antenatal visits for each pregnancy.



Data Item	User Interface	Description
	<b>Pregnancy Pane Columns</b>	
Date of birth	Date	Provides the date of birth (only counting dates <= 6mths
Gestation	Gestation	Gestation in weeks at birth Note: if this field is 0 the gestation will be calculated as date of birth – LNMP
LMP	LNMP	Last known menstrual period
Outcome	Outcome	Live if Outcome and birth weight entered
Birth Weight	B.Weight	Birth weight in grams
	<b>Antenatal pane columns</b>	

**Table 2: Best Practice Pregnancy, Antenatal and Births**

In BP, data on pregnancy, antenatal and births is collected from the Obstetric icon in the tree view. The top left pane provides the list of pregnancies. The top right pane provides the baby details for each pregnancy. The bottom pane provides the list of antenatal visits for each pregnancy.

No.	LMP	Ended	Weeks	Outcome	Delivery
1	11/11/2009	11/08/2010	39	Live birth	Normal vaginal
2	30/07/2010	/ /	4		

Date	Weight	BP	Urine	Oedema	Calc. size	Clin. size	Fundus	FH	Notes	Movements	Presentation
31/05/2010					8	0	0				
15/06/2010					10	0	0				

Data Item	User Interface	Description
	<b>Pregnancy Pane Columns</b>	
Date of birth	Ended	Provides the date of birth (only counting dates <= 6mths
Gestation	Weeks	Gestation in weeks at birth Note: if this field is 0 the gestation will be calculated as date of birth – LMP
LMP	LMP	Last known menstrual period
Outcome	Outcome	Live if 'Live birth' selected
	<b>Pregnancy Details Columns</b>	
Birth weight	Babies Birth Weight	Birth weight in grams
	<b>Antenatal pane columns</b>	
Antenatal visit date	Date	Antenatal visit date for this pregnancy