

# Antithrombotic use in Diabetic Patients with and without established Cardiovascular Disease

[Click here to export this guide to PDF](#)

<b>Recipe Name:</b>	Antithrombotic use in Diabetic Patients with and without established Cardiovascular Disease	
<b>Rationale:</b>	<p><b>Antiplatelet medication and protection from cardiovascular disease</b></p> <p>The use of aspirin or other antithrombotic medication (if clinically indicated) is based on cardiovascular risk and the highest risk patients (including diabetic patients) are those with established cardiovascular disease (i.e. tertiary prevention). The Diabetes Australia General Practice Management of type 2 Diabetes 2016-18 Guidelines, states that:</p> <p>“All adults with type 2 diabetes and known prior cardiovascular disease should receive long-term antiplatelet therapy unless there is a clear contraindication” (General Practice Management of type 2 Diabetes 2016-18)</p> <p>There are differing views on the use of aspirin in patients with diabetes for secondary prevention of cardiovascular disease. The General Practice Management of type 2 Diabetes guidelines do not routinely recommend the use of aspirin for patients at high risk of cardiovascular disease (clinically determined or calculated using Framingham risk evaluation (FRE) as &gt;15% absolute risk of cardiovascular disease events over five years). The NICE Guidelines also do not support the use of aspirin as a means of cardiovascular disease in diabetic patients. The US Preventive Services taskforce however recommends low dose aspirin be given in those patients aged 50-69 years where the 10 year risk of cardiovascular disease exceeds 10</p> <p><b>References:</b></p> <p>Diabetes Australia: <a href="https://www.diabetesaustralia.com.au/best-practice-guidelines">https://www.diabetesaustralia.com.au/best-practice-guidelines</a></p> <p>NICE Guidelines – Type 2 Diabetes: <a href="https://www.nice.org.uk/guidance/ng28">https://www.nice.org.uk/guidance/ng28</a></p> <p>US Preventive Services Taskforce: <a href="https://www.uspreventiveservicestaskforce.org">https://www.uspreventiveservicestaskforce.org</a></p>	


<b>Target:</b>	Patients with a diagnosis of diabetes who either have or don't have cardiovascular disease and are taking or aren't taking antithrombotic medication appropriate for their condition(s)	
<b>CAT Starting Point:</b>	<ol style="list-style-type: none"> <li>1. CAT Open - CAT4 view (all reports) loaded</li> <li>2. Population Extract Loaded and Extract Pane "Hidden" <ol style="list-style-type: none"> <li>1. Filter Pane open and under the 'General' tab 'Active Patients' (3x &lt;2 years) selected (optional step - remove if you want to search for all patients).</li> </ol> </li> </ol>	

Collect View Extracts Hide Filter Report View Population Dashboard CAT4 Cleansing CAT Registrar CAT Clear Filters Recalculate

General	Ethnicity	Conditions	Medications	Date Range (Results)	Date Range (Visits)	Patient Name	Patient Status	Providers	Risk Factors	Saved Filters
<b>Gender</b> <input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Other			<b>DVA</b> <input type="checkbox"/> DVA < Any Color > <input type="checkbox"/> non DVA <b>Health Cover</b> <input type="checkbox"/> Medicare No. <input type="checkbox"/> No		<b>Age</b> Start Age: <input type="text"/> End Age: <input type="text"/> <input checked="" type="radio"/> Yrs <input type="radio"/> Mths <input type="checkbox"/> No Age		<input checked="" type="radio"/> Last <input type="radio"/> First Visit <input checked="" type="radio"/> Any <input type="radio"/> None <input type="radio"/> < 6 <input type="radio"/> < 15 mths <input type="radio"/> < 24 <input type="radio"/> < 30 mths <input type="radio"/> Date Range 06/06/20* to 06/06/20*		<b>Activity</b> <input type="checkbox"/> Active (3x in 2yrs) <input type="checkbox"/> Not Active Visits in last 6 mths >= <input type="text" value="0"/> Has Not Visited in last <input type="text" value="0"/> mths	<b>Postcode</b> <input checked="" type="radio"/> Include <input type="radio"/> Exclude <input type="text"/> <b>City/Suburb</b> <input checked="" type="radio"/> Include <input type="radio"/> Exclude <input type="text"/> <small>(lists: comma separated, * wildcard)</small>

[Clear General](#)

Best Practice, Live Database; Extract Date: 06/06/2016 9:40 AM



**See the Pattern of Antithrombotic therapy in Diabetic Patients with established Cardiovascular Disease**


<b>Situation:</b>	Current guidelines recommend that all Diabetic Patients with established Cardio Vascular Disease be prescribed an antiplatelet or alternatively an antithrombotic medication if indicated.
<b>Task:</b>	Identify those Diabetic patients not appropriately using antiplatelet or alternatively antithrombotic therapy to reduce the risk of thrombosis and risk of coronary occlusion, stroke or peripheral vascular disease.
<b>Approach:</b>	Using CAT4, seek identification and analysis of this patient subset, using the outline below:
<b>Filter:</b>	Patients with the condition of Diabetes and established Cardiovascular Disease, and not recorded as using antiplatelet or alternatively antithrombotic medication
<b>Table/Report:</b>	View the patient list
<b>Analysis:</b>	Reviewing this patient list, review their clinical problem list, medication list and consider indications and contraindications for anti-platelet or antithrombotic therapy (e.g. age, HASBLED score etc.)
<b>Follow up</b>	Set reminders or recalls for patients at increased risk

### Main Step Summary (after loading the data extract)


- Click the "Conditions" tab (in the Filter area)
- Click the "Chronic" tab
- Tick the "Diabetes" group "Yes" box
- Tick the "Cardiovascular" group "Yes" box

The screenshot shows the CAT4 software interface with the 'Conditions' filter tab selected. The 'Chronic' sub-tab is active. Under the 'Diabetes' group, the 'Yes' checkbox is checked. Under the 'Cardiovascular' group, the 'Cardiovascular Disease (CVD)' checkbox is checked. Other groups like 'Respiratory', 'Musculoskeletal', and 'Renal Impairment' have their 'Yes' checkboxes unchecked. The 'Clear Conditions' button is visible at the bottom right.

- Click on the "Medications/Medications – Heart tab"
- Click on the Antithrombotics "No" box



- Click on "Recalculate"



- Then click on the "View Population" icon



This will produce a list of patients that can be printed or saved to an Excel, PDF or work document

Review the list of patients, clinical problems and medications and examine whether the absence of an anti-thrombotic agent is appropriate based on age, HASBLED risk and patient preference etc.

## See the Pattern of Antithrombotic therapy (Aspirin) in Diabetic Patients without established Cardiovascular Disease

<b>Situation:</b>	The Diabetes Australia current guideline does not routinely recommend aspirin antiplatelet therapy for Diabetic patients without established Cardiovascular Disease.
<b>Task:</b>	Identify those Diabetic patients without cardiovascular disease using antiplatelet or alternatively antithrombotic therapy in regard to other comorbidities (e.g. atrial fibrillation or history of DVT/PE).
<b>Approach:</b>	Using CAT4, seek identification and analysis of this patient subset, using the outline below:
<b>Filter:</b>	Patients with the condition of Diabetes without established Cardiovascular Disease, and those patients taking aspirin medication
<b>Table/Report:</b>	View the patient list

<b>Analysis:</b>	Review the patient list and their clinical problems, medications. Consideration list and consider other indications for antiplatelet or antithrombotic medication.
<b>Follow up</b>	Set reminders or recalls for patients to discuss recommendations for change in medication

## Main Step Summary

- Click the "Conditions" tab (in the Filter area)
- Click the "Chronic" tab
- Tick the "Diabetes" group "Yes" box
- Tick the "Cardiovascular" group "No" boxes (CHD, Stroke, MI, PAD, Carotid Sten. and Renal AS)
- Click the "Recalculate" button, and wait for it to finish

The screenshot shows the 'Conditions' filter tab with the following settings:


- Diabetes:** Yes (checked), No
- Respiratory:** Yes, No (unchecked)
- Cardiovascular:** Yes, No (unchecked); CHD, Stroke, MI, PAD, Carotid Stenosis, Renal Artery Stenosis (all No checked)
- Musculoskeletal:** Yes, No (unchecked); Inflammatory, Musculoskeletal, Bone Disease, Osteoporosis, Osteoarthritis (all No checked)
- Renal Impairment:** Yes, No (unchecked); Chronic Renal, Acute Renal Failure (all No checked)

- Click on the "Aspirin" box under "Antithrombotics" box on the "Medications/Medications – Heart" filter tab

The screenshot shows the 'Medications' filter tab with the following settings:

- ACE or ARB:** Yes, No (unchecked); ACE, ARB (all No checked)
- Antithrombotics:** Yes, No (unchecked); Aspirin (checked), Clopidogrel, Dabigatran, Warfarin (all No checked)
- Beta Blockers:** Yes, No (unchecked); Antihypertensives, Chronic Heart, Myocardial (all No checked)
- Calcium:** Yes, No (unchecked)
- Diuretics:** Yes, No (unchecked)
- Lipid M/tying:** Yes, No (unchecked); Statins, Other (all No checked)

- Click on "Recalculate"



- Then click on the "View Population" icon



This will produce a list of patients that can be printed or saved to an Excel, PDF or work document


Look at the patients on the list to see whether they need aspirin therapy based on their level of risk, side effects to aspirin therapy, patient preference and other conditions.

### Create a prompt to display in Topbar

Remember you need to be in the CAT4 Daily View to be able to create prompts. Other pre-requisites are:


- Topbar is installed
- CAT4 is linked to Topbar via Edit/Preferences/Topbar - check here for details: [Linking CAT4 to Topbar](#)

To start CAT4 in the Daily View, click on the 'Daily View' icon in the dashboard:




Once you have applied the filter(s) and displayed the patients of interest as described above, you can create a prompt that will be shown to all clinicians using Topbar if a patient meeting the prompt criteria is opened in their clinical system. The full guide is available at [CAT PLUS PROMPTS](#) and a short guide on how to create prompts in CAT4 can be found at [Creating a Prompt in CAT4](#)

To start you have to use the drop-down menu at the bottom of the patient details report and select "Prompt at Consult - Topbar" then click on "Go" to give the new prompt a name.




The name you enter is the prompt text displayed in Topbar, so choose a simple but clear name that tells the clinician seeing the prompt what should be done.



**To Export Patient List to Microsoft Excel:**



1. Click on the "Export Icon"  at the top of the Patient Reidentification window.
2. Click on "Excel"
3. Choose a file name and a location to save to (eg. Create a folder C:/ClinicalAudit/CAT Patient FollowUp)
4. Click "Save"

The steps above will produce a list of patients with contact details in MS Excel which can then be used to:

1. Go back through the individual patient records in the GP Clinical Desktop System (CDS) and update known records
2. Phone patients to update their record
3. Produce a mail merge to recall patients for follow up