

# Child

### Overview

The **CAT Childhood Schedule** tab provides:

- A graph which displays a child's immunisation status
- A worksheet which details the number of doses of each immunisation that have been received for each child

The **NKPI Essential Immunisations** tab shows which children are up to date for the immunisations HepB, DTPa, Hib, IPV and MMR for ages 1,2 and 5 only. It also offers the same worksheet as the general childhood schedule graph.

The CAT Age filter allows filtering by age in months as well as years. This can be used to target specific child age groups and determine children that have not received all their immunisations.

The tables at the end of this guide provide information about:

- The immunisations included (Table 1)
- The number of doses required by age (Table 2)
- The additional rules considered to determine status (Table 3). The rules for each immunisation determine whether it is up to date, due or overdue.

A child's overall status will take the 'worst' status of all immunisations given i.e. if any immunisation is overdue the child's overall status will be overdue.

### References


The following documents have been referenced:

- The Childhood Immunisation Schedule is provided by the National Immunisation Program Schedule
- The Australian Childhood Immunisation Register (ACIR) Due and Overdue rules available at <http://www.medicareaustralia.gov.au/provider/pubs/program/acir.jsp>

### Graph

The Immunisations > Child Schedule tab provides a pie chart for children aged 0-7 years with the following status categories:

- **Fully immunised** – a child has received all the immunisations required for their age (refer Table 2)
- **Up to date** – a child is not fully immunised but no dose is due (eg. there may be a minimum time period between doses – refer Table 3)
- **Due** – immunisations are due now
- **Overdue** – immunisations are overdue
- **HepA only Due/Overdue** - all immunisations are up to date except HepA
- **Overdue and Declined** - immunisations are overdue but has been declined by the patient/parents



### Worksheet

The worksheet button provides a list of patients with the following details:

- age in months
- immunisation status
- number of doses per immunisation

The worksheet is an aid to help the practice to find children who are not up to date and identify which immunisations are still required. As the vaccination pathways for different vaccine brands can differ the practice should check patient records where a child is listed as due or overdue. In the worksheets the overdue immunisation(s) will be displayed with a \* next to the current count to assist in identifying the reason for the child being listed as overdue

Patient Reidentification

1 of 19 100% Find

### Reidentify Report [Patient Count = 312] - CHILDHOOD IMMUNISATION WORKSHEET

Selected: Imm Status (Fully Immunised, Up to Date, Due)

ID	Surname	First Name	Sex	D.O.B (Age)	Age (Mths)	Status	HepB	DTPa	Hib	Polio	13vPCV	Rotavirus MMR	MenCCV	HepA	VZV	
6650	Surname	Firstname_ M 52	M	01/11/2009 (12)	144	Fully Immunised	3	4	4	4	4	3	2	1	0	1
9018	Surname	Firstname_ M 61	M	01/05/2018 (3)	42	Fully Immunised	3	4	4	3	3	2	2	1	0	2
925	Surname	Firstname_ F 231	F	01/02/2015 (6)	81	Up to date	3	5	4	5	4	2	2	1	2	2
4167	Surname	Firstname_ F 232	F	01/11/2014 (7)	93	Up to date	4	4	4	4	4	2	2	1	1	2
12715	Surname	Firstname_ F 260	F	01/11/2017 (4)	48	Due	4	4	4	3	4	2	2	1	0	2
6357	Surname	Firstname_ M 274	M	01/02/2016 (5)	69	Up to date	3	5	4	5	3	2	2	1	0	2
9755	Surname	Firstname_ M 340	M	01/01/2015 (6)	82	Fully Immunised	3	5	4	5	4	3	2	1	0	2
12308	Surname	Firstname_ M 341	M	01/04/2018 (3)	43	Fully Immunised	3	4	4	3	3	2	2	1	0	2
9615	Surname	Firstname_ F 351	F	01/06/2017 (4)	53	Fully Immunised	4	5	4	5	3	3	2	1	0	2

Refine Selection Add/Withdraw Patient Consent Go Share Plus SMS Recall Voicemail Recall Topbar Prompt

Table 1: Immunisation list for children

HepB	Hepatitis B
DTPa	Diphtheria, tetanus and whooping cough (acellular pertussis)
Hib	Haemophilus influenza
IPV	Polio (inactivated poliomyelitis)
7vPCV	Pneumococcal conjugate
Rotavirus	Rotavirus
MMR	Measles, mumps and rubella
MenCCV	Meningococcal C
HepA (for ATSI)	Hepatitis A
VZV	Chickenpox (varicella)
23vPPV	Pneumococcal polysaccharide

Table 2: Immunisation total recommended doses by age

This table shows the recommended doses for age as provided by the National Immunisation Program Schedule.

Immun./ Age mths	0	2	4	6	12	18	24	48
HepB - Birth	1							
HepB		1	2	3				
DTPa		1	2	3		4		5
Hib		1	2	3		4		
IPV		1	2	3				4

Pneumococcal conjugate		1	2	3				
Rotavirus For children born from 1 <sup>st</sup> May 2007; Number of doses is dependent on brand. - RotaTaq		1	2	3				
- Rotarix		1	2					
MMR - DOB < 1/1/2012					1			2
- DOB >= 1/1/2012					1	2		
MenCCV					1			
HepA For Aboriginal and Torres Strait Islander							1 or 2 Two doses of hepatitis A vaccine are required for Aboriginal and Torres Strait Islander children living in areas of higher risk (Queensland, Northern Territory, Western Australia and South Australia).	
VZV						1		
23vPPV							1	

A child's age in months determines how many doses of each immunisation should have been received. For example, by age 6 months a child should have had 3 doses of DTPa.

The number of doses for age will differ between States and Territories due to the needs of geographic and demographic conditions.

**Table 3: Immunisation Due and Overdue rules based on 'The Australian Childhood Immunisation Register (ACIR) Due and Overdue rules'**

Immunisation	Dose	Additional Criteria to determine if status = Up to date	Status		
		** = Fully Immunised*			
			Up to date	Due	Overdue
HepB - Birth - is only valid up to 7 days of age	1	Child age > 7days*		In first 7 days	
HepB	1			2 months	3 months
	2		Last dose given< 2months	4 months	5 months
	3		Last dose given< 2months	6 months	7 months
DTPa	1			2 months	3 months
	2		Last dose given< 2months	4 months	5 months
	3		Last dose given< 2months	6 months	7 months
	4		Last dose given< 6months	18 months	19 months
	5		Last dose given< 6months	48 months	49 months
Hib	1	Dose 1 > 15months		2 months	3 months
	2	Dose 2 > 15months	Last dose given< 2months	4 months	5 months
	3	Dose 3 >15months	Last dose given< 2months	6 months	7 months
	4		Last dose given< 2months	18 months	19 months
IPV	1			2 months	3 months
	2		Last dose given< 2months	4 months	5 months
	3	Dose 3 > 48months	Last dose given< 2months	6 months	7 months
	4		Last dose given< 6months	48 months	49 months
Pneumococcal conjugate	1	Dose 1 > 17months		2 months	3 months
	2	Dose 2 > 12months	Last dose given< 2months	4 months	5 months

	3		Last dose given < 2 months	6 months	7 months
Rotavirus		If no dose by 14 weeks then no doses due/overdue			
	1	Dose 1 > 28 weeks		2 months	3 months
	2	Dose 2 > 28 weeks		4 months	5 months
	3	No doses due/overdue > 32 weeks		6 months	7 months
MMR - DOB < 1/1/2012	1			12 months	13 months
	2			48 months	49 months
MMR - DOB >= 1/1/2012	1			12 months	13 months
	2			18 months	19 months
MenCCV	1	Imm can be given in more than 1 dose – a dose must exist after 12 months*		12 months	13 months
HepA (For Aboriginal and Torres Strait Islander)	1	2 doses are due in the second year of life*		12 months	25 months
2 <sup>nd</sup> dose for high risk areas	2			18 months	25 months
VZV	1			18 months	19 months
23vPPV	1			18 months	19 months